

Solutions for



Agri- cul- ture

Focus
Tractors


Axial Fans and Clutches

Smart Fan Technology

WingFan's core competence in aerodynamic engineering provides you with the most advanced technology to comply with noise and emissions legislations.

Every agricultural application has its unique requirements that have to be addressed individually. Our axial fan solutions for agricultural machinery and related applications are custom configured to minimize fuel consumption and provide optimal cooling with minimal fan noise.

Specialized agricultural machines require fans with enough performance reserves to deal with severe radiator fouling issues and the fan must be robust enough to withstand severe dust and debris ingress. WingFan has developed innovative fan blade geometries for the most challenging cooling applications for the world's largest OEM agricultural machinery manufacturers.



FanClutch solutions

Clutches control the fan speed in direct proportion to the engine cooling needs resulting in **improved fuel economy, lower cyclic fan noise** and **increased operator comfort**.

Choose from our highly advanced maintenance free electronic viscous clutches that can be precisely controlled by the ECU, or fully modulating bi-metal clutches that sense the temperature of the air passing through the heat exchanger for accurate fan engagement.

BLEX® the gap

With WingFan's BLEX® technology, the **static pressure is dramatically improved** and the noise may be reduced by 2 to 3 dB(A). The **noise at the fan blade tips** caused by air slippage and turbulence **is significantly reduced** due to minimized tip clearances.

The same air flow can be achieved while reducing pitch angle and fan speed, thus lowering power consumption. The overall **system efficiency is increased** by up to 20% resulting in significant **fuel/energy savings**.

The flexible nylon fabric is designed to adapt the fan diameter to the contour of the shroud thereby reducing the clearance close to ZeroTip®.

All regular blade profiles in the WingFan product range made of PA and PAG material are available with state-of-the-art BLEX® technology.



Tractors

Ready for the future –
Fulfills Stage V directives




WingFan has worked together with many tractor OEMs to design small diameter space-saving fans specially adapted to the dimensions of a bimetal or electronically controlled viscous clutch to dramatically reduce noise and fuel con-

sumption while increasing the air-to-boil temperature. We have indepth knowledge and the know-how to solve the challenging cooling issues in extremely cramped engine compartments with stringent emissions regulations.



Highest pressure fan in its class

Unparalleled static pressure and airflow performance from the newest addition to our product range. The highly versatile **S38Z** was designed to cool Tier 4 Final engines from 140 - 500 hp in cooling packages with extremely high resistance and the possibility of fouling.



Compact and powerful

Highly efficient **S13H** axial fan + clutch combination with very compact dimensions perfectly suited for 90 to 140 hp tractors actively contributes to fuel saving and minimizing fan noise.

Smart Fan Selection Software

We make things easier for you!

WingFan SELECT 3D, the leading fan selection software in the industry, is the best tool to **support your fan sizing**. Learn about the unique features like 3D visualization, resonance data, project management or 3D file export.

Free download at
wingfan.com



3D Visualization

The feature create highly accurate 3D visualizations to show what the fan configuration will look like once completed.



Resonance Check

This particular feature identify and/or confirm a high vibration level caused by a resonance frequency caused by the chosen fan speed.



Performance Data

The feature is intended to provide an overview of the performance of the selected fan and its parameters.



3D Animation

Automated 3D Animation provides a faster way to easily visualize the function and behavior of your fan configuration.



Drawing Export

Each individual fan selection can be exported as a technical drawing to the Portable Document Format (PDF).



3D File Export

An important function in the data exchange relationship between the SELECT and CAD worlds is the ability to port the Fan assembly into mechanical design software for the purposes of physical clearance checking.



WE DELIVER TO ALL FIVE CONTINENTS

We think global and act local!

WingFan with its headquarters in Hamburg, Germany is operating a global network of manufacturing on 5 continents and distribution in over 36 countries.

WingFan also offers phone support for your product and technical questions. To discuss a specific application, specification question or request a prototype, contact the WingFan location closest to you.


WingFan Ltd. & Co. KG
 Lademannbogen 10
 22339 Hamburg | Germany

 +49 (040) 853 109-10
 +49 (040) 853 109-99

 info@wingfan.com
 www.wingfan.com

